

.

---

**From:** Piro, Peter (DPH)  
**Sent:** Monday, July 16, 2012 9:46 AM  
**To:** Salemi, Charles (DPH); Saunders, Della (DPH); Gagnon, Kenneth (POL); Glazer, Lisa (DPH); Corbett, Kate (DPH); Frasca, Daniela (DPH); Piro, Peter (DPH); Renczkowski, Daniel (DPH); Medina, Nicole (DPH); Tran, Mai (DPH); Lawler, Michael (DPH); Lleshi, Hevis (DPH); O'Brien, Elisabeth (DPH)  
**Cc:** Vallaro, Guy (POL)  
**Subject:** Summary of 7-13-12 Meeting  
**Attachments:** Technical Review Checklist.xls

Based on our meeting on Friday, I'd like to review some of the MSP changes that will be incorporated into the GC/MS lab. We will **stop** the practice of using bracketing standards. We decided to share the GC/MS instrument among chemists and that adding onto a run was allowed by multiple chemists. Chemists will be responsible for adding on their own standards, blanks and samples if they want to take their hardcopy and walk away. If chemists want to share standards, the second operator will be responsible for making their own hardcopy in Data Analysis. Please remember a new standard will be required if more than 24 hours has elapsed. The use of blanks will continue as usual as will the frequency of tuning. Please continue to file the original GC/MS tune as usual but also file the QC mix with the tune. We will continue to use the same QC mix for the moment while I look into the implications of switching over to a cocaine/heroin mixture. Also continue to file the hand written batch sheet as usual. GC/MS control sheets will **no** longer be used by the GC/MS lab and they will not be required for technical review. Attached is the latest version of the technical review sheet. In the near future, I will attempt to draft a standardized Drug Analysis Form that will be acceptable to the lab.

Peter Piro  
GC/MS Laboratory Supervisor I  
Department of Public Health  
Hinton State Laboratory Institute  
Forensic Drug Laboratory, Rm 361  
305 South Street  
Jamaica Plain, Ma 02130  
617-983-6634  
[Peter.Piro@state.ma.us](mailto:Peter.Piro@state.ma.us)